

Code: 5000-76086

JAPANESE PATENT OFFICE
PATENT JOURNAL (A)
KOKAI PATENT APPLICATION NO. HEI 8[1996]-281042

Int. Cl. ⁶ :	B 01 D 53/02 53/04
Filing No.:	Hei 7[1995]-89342
Filing Date:	April 14, 1995
Publication Date:	October 29, 1996
No. of Claims:	4 (Total of 6 pages; OL)
Examination Request:	Not filed

A PLANAR SHAPED DEODORIZING MATERIAL AND ITS MANUFACTURING
METHOD

Inventors:	Minoru Yoshida Asahi Kasei Industry K.K., 11-7 Hachoutoji-machi, Takatsuki-shi, Osaka-fu
------------	---

Kazushi Kato
Asahi Kasei Industry
K.K., 11-7 Hachoutoji-machi,
Takatsuki-shi, Osaka-fu

Applicant:	000000033 Asahi Kasei Industry K.K. 1-2-6 Doutouhama, Kita-ku, Osaka-shi, Osaka-fu
------------	--

[There are no amendments to this patent.]

* * *

Claims

1. A planar shaped deodorizing material characterized by a mixture of carbonized bamboo powder and activated carbon powder being held on top of a sheet material or between at

least 2 sheets of material, and the weight ratio of the said carbonized bamboo powder in the mixed powder being 0.2-0.5.

2. A planar shaped deodorizing material characterized by a mixture of carbonized bamboo powder, activated carbon powder, and hot-melting agent powder being held between at least 2 sheets of material, the weight ratio of the said carbonized bamboo powder of the total amount of the carbonized bamboo powder and the activated carbon powder being 0.2-0.5, and the sheets of material that are adjacent to each other being integrated by the fusion hot-melting agent.

3. The planar shaped deodorizing material characterized by at least one of the sheets of material described in Claim 1 or 2 being a gas permeable sheet.

4. A manufacturing method for a planar shaped deodorizing material characterized by mixing together carbonized bamboo powder, activated carbon powder, and hot-melting agent powder so that the weight ratio of the carbonized bamboo powder in the total amount of the carbonized bamboo powder and the activated carbon powder is 0.2-0.5, distributing the obtained mixed powder over a sheet material, and overlapping a sheet material on top of this and then thermally compressing them together.

*

*

*

Laid-Open Number : 8-126661

Laid-Open Date : May 21, 1996

Application Number: 6-269365

Application Date : November 2, 1994

Int. Class Number : A61F 13/15, 5/44

Name of Applicant : Unitika Ltd.

Title: Absorbent article

Claim:

1. An absorbent article comprising a liquid pervious top sheet, a liquid impervious leakage proof sheet, and an absorbent layer disposed between both of the sheets, which further comprises a perfume precursor material which is decomposed by the effect of an enzyme to form a perfume and an enzyme to decompose the perfume precursor material.

ABSORPTIVE ARTICLE (JP8126661A)

###Purpose&&&: To provide an absorptive article which suppresses unpleasant odors accompanied with urination, defecation, excretion, etc., and from which the time of urination, defecation, excretion, etc., can be confirmed by releasing of a perfume.

###Constitution&&&: This absorptive article which consists of a liq.-permeable surface sheet, a liq.-impermeable anti-leakage sheet and an absorptive layer provided between both sheets incorporates a perfume precursor substance which is decomposed into a perfume by the action of an enzyme and the enzyme for decomposing the perfume precursor substance.